

COVINGTON & BURLING LLP

1201 PENNSYLVANIA AVENUE NW
WASHINGTON, DC 20004-2401
TEL 202.662.6000
FAX 202.662.6291
WWW.COV.COM

BEIJING
BRUSSELS
LONDON
NEW YORK
SAN DIEGO
SAN FRANCISCO
SILICON VALLEY
WASHINGTON

FILED/ACCEPTED

AUG 14 2009

Federal Communications Commission
Office of the Secretary
ROBERT M. SHERMAN
TEL 202.662.5115
FAX 202.778.5115
RSHERMAN@COV.COM

August 14, 2009

VIA HAND DELIVERY

Ms. Marlene H. Dortch, Secretary
Federal Communications Commission
445 12th Street, S.W.
Washington, D.C. 20554

Re: Amendment of Section 73.622(i), DTV Table of Allotments,
Television Broadcast Stations (Laurel, Mississippi)

Dear Ms. Dortch:

Attached please find an amendment to the Petition for Rulemaking filed by WDAM License Subsidiary, LLC on August 13, 2009. This attachment supersedes the previous-filed Petition.

Please contact me if you have any questions.

Sincerely,


Robert M. Sherman

Counsel to WDAM License Subsidiary, LLC

Enclosure

**Before the
FEDERAL COMMUNICATIONS COMMISSION
Washington, D.C. 20554**

FILED/ACCEPTED

AUG 14 2009

*Federal Communications Commission
Office of the Secretary*

In the Matter of)

)
)
Amendment of Section 73.622(i),)
DTV Table of Allotments,)
Television Broadcast Stations)
(Laurel, Mississippi))
_____)

RM-_____

PETITION FOR RULEMAKING

WDAM License Subsidiary, LLC (“WDAM”), licensee of television station WDAM-TV, Laurel, Mississippi (the “Station”), respectfully requests that the Commission amend Section 73.622(i) of its rules, the post-transition DTV Table of Allotments, to replace the Channel 28 allotment for Biloxi, Mississippi, with an allotment for Channel 7. This amendment is necessary to ensure continued digital television service to many viewers of commonly-owned station WLBT(TV), Jackson, Mississippi (“WLBT”) who are experiencing significant difficulties receiving that station’s allotted Channel 7 DTV facility.

As WLBT’s permittee explains in more detail in its contemporaneously-filed petition for rulemaking, WLBT is operating on a high-VHF channel at a low power level of 10.3 kW effective radiated power (“ERP”). A significant number of WLBT’s viewers complained of a sudden inability to receive WLBT’s digital signal, particularly through antennas located indoors. WLBT also learned that battery-powered receivers — even those located close to its community of license — have been unable to receive WLBT’s Channel 7 signal consistently. This service loss is a particular concern because WLBT is located in an area that frequently experiences severe weather, and viewers rely on over-the-air reception of broadcast stations

during power outages to learn about emergency conditions. WLBT's permittee has been unable to identify the root cause of these reception problems.

Because anything more than a modest increase in WLBT's ERP would cause interference to a neighboring station, WLBT's permittee is requesting authority to operate on Channel 30 at 535 kW ERP, a power level that would allow WLBT to substantially replicate its analog service area. That Channel 30 facility, however, would interfere with the Channel 28 facility operated by WDAM. In order to avoid that interference and facilitate the restoration of WLBT's digital service, WDAM accordingly respectfully requests authority to operate its DTV facility on Channel 7 at an ERP of 75 kW.

Although Channel 7 is a high-VHF channel that has been associated with reception difficulties in other stations, WDAM does not believe that the proposed facility would cause the same kinds of reception difficulties experienced by WLBT and other stations operating on high-VHF channels. This is because, in the experience of WDAM and its parent company, these kinds of reception difficulties have been faced primarily by stations with substantially lower ERPs than the 75 kW proposed in this petition. Using Channel 7 also would be beneficial in this case because an antenna that could be used to transition service to this channel quickly upon authorization already is top-mounted on the Station's tower.

If this petition is granted, WDAM intends to apply for a permit to construct a Channel 7 digital facility at an ERP of 75 kW, and it intends to apply for a license to cover that permit promptly after it is issued. The proposed construction permit and license would authorize a facility with the following specifications:

Facility ID	State & City		NTSC		DTV						
			Chan	Chan	ERP (kW)	MAAC (m)	Latitude (DDMMSS)	Longitude (DDMMSS)	Area (sq. km)	Population (thousand)	Percent RX Received
21050	MS	Laurel	7	7	75	155	31°27'12	-89°17'05	27,955	468,693	0.7


As amended, the DTV allotment for Laurel would read as follows:

MISSISSIPPI	
Laurel	7

As the accompanying engineering analysis indicates, the proposed channel substitution would not cause impermissible interference to any other station in the post-transition environment.¹ Moreover, the proposed facility is predicted to serve more than 468,000 viewers — that is, about 132 percent of the population served by WDAM's analog facility.²

Grant of this request would serve the public interest because it would ensure that WLBT viewers who have been unable to receive that station's Channel 7 broadcasts, either because of high-VHF reception issues or because they are not predicted to be served by the Channel 7 facility, would again receive digital service from WLBT. Accordingly, WDAM respectfully requests that the Commission amend Section 73.622 of its rules to substitute Channel 7 for the existing Channel 28 digital allotment at Laurel, Mississippi.

Respectfully submitted,



Jennifer A. Johnson
Robert M. Sherman
COVINGTON & BURLING LLP
1201 Pennsylvania Avenue, N.W.
Washington, D.C. 20004-2401
(202) 662-6000

Counsel to WDAM License Subsidiary, LLC

August 14, 2009

¹ See Technical Statement of du Treil, Lundin & Rackley, Inc., attached at Exhibit A, at 2.

² *Id.*

EXHIBIT A

TECHNICAL EXHIBIT
PETITION FOR RULE MAKING TO
MODIFY THE DTV TABLE OF ALLOTMENTS
STATION WLBT-DT JACKSON, MISSISSIPPI
STATION WDAM-DT LAUREL, MISSISSIPPI

This Technical Exhibit was prepared on behalf of television stations WLBT-DT assigned to Jackson, Mississippi and WDAM-DT assigned to Laurel, Mississippi in support of a *Petition for Rule Making* to modify the respective DTV allotments for each specified station.

The Commission adopted channel 7 for WLBT's post-transition digital operation with a directional antenna maximum effective radiated power (ERP) of 7 kilowatts (kW) and an antenna height above average terrain (HAAT) of 393 meters. Due to reception problems on its VHF channel, WLBT-DT desires to propose operation on UHF Channel 30 for its final post-transition operation. Concurrently, nearby station WDAM-DT proposes to employ WLBT-DT's current Channel 7 allotment and which was WDAM-DT's former analog channel, but with a substantially greater digital effective radiated power. Therefore, both allotment proposals are technically related and may be treated concurrently.

The following details both WLBT's and WDAM's proposed modification of its Appendix B facilities.

Facility ID	State & City		NTSC	DTV							
			Chan	Chan	ERP (kW)	HAAT (m)	Latitude (DDMMSS)	Longitude (DDMMSS)	Area (sq km)	Population (thousand)	Percent Ix Received
68542	MS	Jackson	3	30	535	624	321249	0902256	42,911	916,172	0.5
21250	MS	Laurel	7	7	75	155	312712	0891705	27,855	468,693	0.7
Each Facility Proposes Non-Directional Transmitting Antennas											

The proposed WDAM-DT effective radiated power and antenna height above average terrain complies with Section 73.622(f)(7) of the Commission Rules. As for WLBT-DT, there is a larger station in the market, WJTV-DT on Channel 12 (FCC File Number: BMPCDT-20080619ABX), with an area of 45,768 square kilometers.

Population Served

The herein proposed WLBT-DT Channel 30 facility is predicted to serve 916,172 persons, post-transition, based upon the 2000 Census. WLBT-DT's former analog facility is predicted to serve 835,304 persons. Therefore, the herein proposed WLBT-DT facility would serve more than 100% of WLBT's associated analog population. The proposed WLBT-DT Appendix B facilities complies with the 0.5 percent interference standard adopted by the FCC for post-transition DTV operations as shown in Figure 1 to all stations.

The herein proposed WDAM-DT Channel 7 facility is predicted to serve 468,693 persons, post-transition, based upon the 2000 Census. WDAM-DT's former analog facility is predicted to serve 354,017 persons. Therefore, the herein proposed WDAM-DT facility would serve more than 100% of its associated analog population. The proposed WDAM-DT Appendix B facilities complies with the 0.5 percent interference standard adopted by the FCC for post-transition DTV operations as shown in Figure 2 to all stations.

Charles A. Cooper
du Treil, Lundin & Rackley, Inc.
201 Fletcher Avenue
Sarasota, Florida 34237
(941) 329-6000

August 12, 2009

Figure 1

TECHNICAL EXHIBIT
PETITION FOR RULE MAKING TO
MODIFY THE DTV TABLE OF ALLOTMENTS
STATION WLBT-DT JACKSON, MISSISSIPPI
STATION WDAM-DT LAUREL, MISSISSIPPI

OET-69 Allocation Analysis – WLBT-DT Jackson, Mississippi

TW Census data selected 2000
Post Transition Data Base Selected /export/home/cdbs/pt_tvdb.sff

TV INTERFERENCE and SPACING ANALYSIS PROGRAM

Date: 08-12-2009 Time: 10:54:54

Record Selected for Analysis

WLBT USERRECORD-01 JACKSON MS US
Channel 30 ERP 535. kW HAAT 622. m RCAMSL 00716 m
Latitude 032-12-49 Longitude 0090-22-56
Status APP Zone 2 Border
Last update Cutoff date Docket
Comments
Applicant

Cell Size for Service Analysis 2.0 km/side

Distance Increments for Longley-Rice Analysis 1.00 km

Facility does not meet maximum height/power limits
Channel 30 ERP = 535.00 HAAT = 622.

Azimuth (Deg)	ERP (kW)	HAAT (m)	41.0 dBu F(50,90) (km)
0.0	535.000	628.6	116.0
45.0	535.000	608.9	115.1
90.0	535.000	620.4	115.6
135.0	535.000	611.7	115.2
180.0	535.000	602.0	114.8
225.0	535.000	623.6	115.8
270.0	535.000	648.6	117.0
315.0	535.000	631.4	116.2

Evaluation toward Class A Stations

Contour overlap to Class A station
WLFT-CA 30 BATON ROUGE LA BLTTA 20070813AFZ

Class A Evaluation Complete

SPACING VIOLATION FOUND BETWEEN STATION

WLBT 30 JACKSON MS USERRECORD01

Figure 1

and station

SHORT TO: WLFT-CA 30 BATON ROUGE LA BDFCDTA 20080804ACM
 030-22-50 0091-03-16
 Req. separation 223.7 Actual separation 213.1 Short 10.6 km

LANDMOBILE SPACING VIOLATIONS FOUND

NONE

Proposed facility OK to FCC Monitoring Stations

Proposed facility OK toward West Virginia quiet zone

Proposed facility OK toward Table Mountain

Proposed facility is beyond the Canadian coordination distance

Proposed facility is beyond the Mexican coordination distance

Proposed station is OK toward AM broadcast stations

 Start of Interference Analysis

Channel	Proposed Station Call	City/State	ARN
30	WLBT	JACKSON MS	USERRECORD01

Stations Potentially Affected by Proposed Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
30	WIAT	BIRMINGHAM AL	362.5	LIC	BLCDT -20021219AAV
30	WIAT	BIRMINGHAM AL	362.5	PLN	DTVELN -DTVP1093
30	KLRT-TV	LITTLE ROCK AR	347.5	LIC	BLCDT -20020507AAK
30	KLRT-TV	LITTLE ROCK AR	347.5	PLN	DTVPLN -DTVP1094
30	WLFT-CA	BATON ROUGE LA	213.5	LIC	BLTTA -20070313AFZ
30	WLFT-CA	BATON ROUGE LA	213.5	CP	BDFCDTA -20080804ACM
30	KFOL-CA	HOUMA LA	293.4	CP MOD	BMPDTA -20080804AEE
30	KFOL-CA	HOUMA LA	286.7	LIC	BLTTL -19950329IC
30	KFOL-CA	HOUMA LA	291.3	APP	BMPDTA -20090526AEG
30	KFOL-CA	HOUMA LA	293.4	APP	BPTTA -20080411ABC
30	KVHP	LAKE CHARLES LA	371.2	PLN	DTVPLN -DTVP1104
30	KVHP	LAKE CHARLES LA	371.2	CP	BPCDT -19990714LD
31	KLAX-TV	ALEXANDRIA LA	216.9	CP	BPCDT -20080617ADM
31	KLAX-TV	ALEXANDRIA LA	216.9	PLN	DTVPLN -DTVP1141
31	WGBC	MERIDIAN MS	159.4	PLN	DTVPLN -DTVP1148
31	WGBC	MERIDIAN MS	159.4	CP MOD	BMPCDT -20070522AAR

Analysis of Interference to Affected Station 1

Channel	Call	City/State	Application Ref. No.
30	WIAT	BIRMINGHAM AL	BLCDT -20021219AAV

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
29	WBIH	SELMA AL	105.0	CP	BPCDT -20080617ADT

Figure 1

29	WBIH	SELMA AL	104.9	PLN	DTVPLN	-DTVP1059
30	WVLT-TV	KNOXVILLE TN	381.7	LIC	BLCDT	-20040420AAF
30	WVLT-TV	KNOXVILLE TN	381.7	PLN	DTVPLN	-DTVP1116
30	WVLT-TV	KNOXVILLE TN	381.7	CF	BPCDT	-20080618AAM
31	WGBC	MERIDIAN MS	217.9	PLN	DTVPLN	-DTVP1148
31	WGBC	MERIDIAN MS	217.9	CP MOD	BMPCDT	-20070522AAR
30	WLBT	JACKSON MS	362.5	APP	USERRECORD-01	

Total scenarios = 12

Result key: 1
 Scenario 1 Affected station 1
 Before Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
 HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6264	753.5
lost to ATV IX only	6264	753.5
lost to all IX	6264	753.5

Potential Interfering Stations Included in above Scenario 1

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	BLCDT	20040420AAF	LIC

After Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
 HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	7173	801.9
lost to ATV IX only	7173	801.9
lost to all IX	7173	801.9

Potential Interfering Stations Included in above Scenario 1

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	BLCDT	20040420AAF	LIC
30A MS JACKSON	USERRECORD01		APP

Percent new IX = 0.0539%

Result key: 2
 Scenario 2 Affected station 1
 Before Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
 HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6264	753.5
lost to ATV IX only	6264	753.5
lost to all IX	6264	753.5

Potential Interfering Stations Included in above Scenario 2

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	DTVPLN	DTVP1116	PLN

After Analysis

Figure 1

```

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV  LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION  AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses    1693417      31764.3
lost to NTSC IX                    0           0.0
lost to additional IX by ATV       7173         801.9
lost to ATV IX only                7173         801.9
lost to all IX                     7173         801.9

Potential Interfering Stations Included in above Scenario      2

29A AL SELMA      BPCDT      20080617ADT  CP
30A TN KNOXVILLE DTVPLN      DTVPL1116    PLN
30A MS JACKSON    USERRECORD01  APP

Percent new IX =      0.0539%

Result key:      3
Scenario      3  Affected station      1
Before Analysis

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV  LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION  AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses    1693417      31764.3
lost to NTSC IX                    0           0.0
lost to additional IX by ATV       9816         773.7
lost to ATV IX only                9816         773.7
lost to all IX                     9816         773.7

Potential Interfering Stations Included in above Scenario      3

29A AL SELMA      BPCDT      20080617ADT  CP
30A TN KNOXVILLE BPCDT      20080618AAM  CP

After Analysis

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV  LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION  AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses    1693417      31764.3
lost to NTSC IX                    0           0.0
lost to additional IX by ATV      10725         822.0
lost to ATV IX only                10725         822.0
lost to all IX                     10725         822.0

Potential Interfering Stations Included in above Scenario      3

29A AL SELMA      BPCDT      20080617ADT  CP
30A TN KNOXVILLE BPCDT      20080618AAM  CP
30A MS JACKSON    USERRECORD01  APP

Percent new IX =      0.0540%

Result key:      4
Scenario      4  Affected station      1
Before Analysis

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV  LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION  AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses    1693417      31764.3
lost to NTSC IX                    0           0.0
lost to additional IX by ATV       6144         753.5
lost to ATV IX only                6144         753.5

```

Figure 1

```

lost to all IX                6144        753.5

Potential Interfering Stations Included in above Scenario      4

29A AL SELMA                 DTVPLN      DTVPL1059    PLN
30A TN KNOXVILLE            BLCDT      20040420AAF  LIC

After Analysis

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV  LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                    0          0.0
lost to additional IX by ATV        7053        801.9
lost to ATV IX only                 7053        801.9
lost to all IX                     7053        801.9

Potential Interfering Stations Included in above Scenario      4

29A AL SELMA                 DTVPLN      DTVPL1059    PLN
30A TN KNOXVILLE            BLCDT      20040420AAF  LIC
30A MS JACKSON                USERRECORD01  APP

Percent new IX =      0.0539%

Result key:      5
Scenario      5  Affected station      1
Before Analysis

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV  LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                    0          0.0
lost to additional IX by ATV        6144        753.5
lost to ATV IX only                 6144        753.5
lost to all IX                     6144        753.5

Potential Interfering Stations Included in above Scenario      5

29A AL SELMA                 DTVPLN      DTVPL1059    PLN
30A TN KNOXVILLE            DTVPLN      DTVPL1116    PLN

After Analysis

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV  LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                    0          0.0
lost to additional IX by ATV        7053        801.9
lost to ATV IX only                 7053        801.9
lost to all IX                     7053        801.9

Potential Interfering Stations Included in above Scenario      5

29A AL SELMA                 DTVPLN      DTVPL1059    PLN
30A TN KNOXVILLE            DTVPLN      DTVPL1116    PLN
30A MS JACKSON                USERRECORD01  APP

Percent new IX =      0.0539%

Result key:      6
Scenario      6  Affected station      1
Before Analysis

```

Figure 1

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9696	773.7
lost to ATV IX only	9696	773.7
lost to all IX	9696	773.7

Potential Interfering Stations Included in above Scenario 6

29A AL SELMA	DTVPLN	DTVP1059	PLN
30A TN KNOXVILLE	BPCDT	20080618AAM	CP

After Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	10605	822.0
lost to ATV IX only	10605	822.0
lost to all IX	10605	822.0

Potential Interfering Stations Included in above Scenario 6

29A AL SELMA	DTVPLN	DTVP1059	PLN
30A TN KNOXVILLE	BPCDT	20080618AAM	CP
30A MS JACKSON	USERRECORD01		APP

Percent new IX = 0.0540%

Result key: 7
Scenario 7 Affected station 1
Before Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6264	753.5
lost to ATV IX only	6264	753.5
lost to all IX	6264	753.5

Potential Interfering Stations Included in above Scenario 7

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	BLCDT	20040420AAF	LIC

After Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	7173	801.9
lost to ATV IX only	7173	801.9
lost to all IX	7173	801.9

Potential Interfering Stations Included in above Scenario 7

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	BLCDT	20040420AAF	LIC

Figure 1

30A MS JACKSON USERRECORD01 APP

Percent new IX = 0.0539%

Result key: 8
Scenario 8 Affected station 1
Before Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6264	753.5
lost to ATV IX only	6264	753.5
lost to all IX	6264	753.5

Potential Interfering Stations Included in above Scenario 6

29A AL SELMA BPCDT 20080617ADT CP
30A TN KNOXVILLE DTVPLN DTVPL1116 PLN

After Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	7173	801.9
lost to ATV IX only	7173	801.9
lost to all IX	7173	801.9

Potential Interfering Stations Included in above Scenario 8

29A AL SELMA BPCDT 20080617ADT CP
30A TN KNOXVILLE DTVPLN DTVPL1116 PLN
30A MS JACKSON USERRECORD01 APP

Percent new IX = 0.0539%

Result key: 9
Scenario 9 Affected station 1
Before Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9816	773.7
lost to ATV IX only	9816	773.7
lost to all IX	9816	773.7

Potential Interfering Stations Included in above Scenario 9

29A AL SELMA BPCDT 20080617ADT CP
30A TN KNOXVILLE BPCDT 20080618AAM CP

After Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0

Figure 1

```

lost to additional IX by ATV      10725      822.0
lost to ATV IX only              10725      822.0
lost to all IX                   10725      822.0

Potential Interfering Stations Included in above Scenario      9

29A AL SELMA                    BPCDT      20080617ADT    CP
30A TN KNOXVILLE              BPCDT      20080618AAM    CP
30A MS JACKSON                  USERRECORD01    APP

Percent new IX =      0.0540%

Result key:      10
Scenario      10 Affected station      1
Before Analysis

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV    LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                    0          0.0
lost to additional IX by ATV        6144       753.5
lost to ATV IX only                 6144       753.5
lost to all IX                     6144       753.5

Potential Interfering Stations Included in above Scenario      10

29A AL SELMA                    DTVPLN      DTVP1059      PLN
30A TN KNOXVILLE              BLCDT      20040420AAF    LIC

After Analysis

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV    LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                    0          0.0
lost to additional IX by ATV        7053       801.9
lost to ATV IX only                 7053       801.9
lost to all IX                     7053       801.9

Potential Interfering Stations Included in above Scenario      10

29A AL SELMA                    DTVPLN      DTVP1059      PLN
30A TN KNOXVILLE              BLCDT      20040420AAF    LIC
30A MS JACKSON                  USERRECORD01    APP

Percent new IX =      0.0539%

Result key:      11
Scenario      11 Affected station      1
Before Analysis

Results for: 30A AL BIRMINGHAM      BLCDT      20021219AAV    LIC
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                    0          0.0
lost to additional IX by ATV        6144       753.5
lost to ATV IX only                 6144       753.5
lost to all IX                     6144       753.5

Potential Interfering Stations Included in above Scenario      11

29A AL SELMA                    DTVPLN      DTVP1059      PLN
30A TN KNOXVILLE              DTVPLN      DTVP1116      PLN

```

Figure 1

After Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	7053	801.9
lost to ATV IX only	7053	801.9
lost to all IX	7053	801.9

Potential Interfering Stations Included in above Scenario 11

29A AL SELMA	DTVPLN	DTVP1059	PLN
30A TN KNOXVILLE	DTVPLN	DTVP1116	PLN
30A MS JACKSON	USEPRECORD01		APP

Percent new IX = 0.0539%

Result key: 12
Scenario 12 Affected station 1
Before Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9696	773.7
lost to ATV IX only	9696	773.7
lost to all IX	9696	773.7

Potential Interfering Stations Included in above Scenario 12

29A AL SELMA	DTVPLN	DTVP1059	PLN
30A TN KNOXVILLE	BPCDT	20080618AAM	CP

After Analysis

Results for: 30A AL BIRMINGHAM BLCDT 20021219AAV LIC
HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	10605	822.0
lost to ATV IX only	10605	822.0
lost to all IX	10605	822.0

Potential Interfering Stations Included in above Scenario 12

29A AL SELMA	DTVPLN	DTVP1059	PLN
30A TN KNOXVILLE	BPCDT	20080618AAM	CP
30A MS JACKSON	USERRECORD01		APP

Percent new IX = 0.0540%

Worst case new IX 0.0540% Scenario 3

#####

Analysis of Interference to Affected Station 2

Analysis of current record

Channel	Call	City/State	Application Ref. No.
30	WIAT	BIRMINGHAM AL	DTVPLN -DTVP1093

Figure 1

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
29	WBIH	SELMA AL	105.0	CP	BPCDT	-20080617ADT
29	WBIH	SELMA AL	104.9	PLN	DTVPLN	-DTVP1059
30	WVLT-TV	KNOXVILLE TN	381.7	LIC	BLCDT	-20040420AAF
30	WVLT-TV	KNOXVILLE TN	381.7	PLN	DTVPLN	-DTVP1116
30	WVLT-TV	KNOXVILLE TN	381.7	CP	BPCDT	-20080618AAM
31	WGBC	MERIDIAN MS	217.9	PLN	DTVPLN	-DTVP1148
31	WGBC	MERIDIAN MS	217.9	CP MOD	BMPCDT	-20070522AAR
30	WLBT	JACKSON MS	362.5	APP	USERRECORD-01	

Total scenarios = 12

Result key: 13
 Scenario 1 Affected station 2
 Before Analysis

Results for: 30A AL BIRMINGHAM DTVPLN DTVP1093 PLN
 HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6264	753.5
lost to ATV IX only	6264	753.5
lost to all IX	6264	753.5

Potential Interfering Stations Included in above Scenario 1

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	BLCDT	20040420AAF	LIC

After Analysis

Results for: 30A AL BIRMINGHAM DTVPLN DTVP1093 PLN
 HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	7173	801.9
lost to ATV IX only	7173	801.9
lost to all IX	7173	801.9

Potential Interfering Stations Included in above Scenario 1

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	BLCDT	20040420AAF	LIC
30A MS JACKSON	USERRECORD01		APP

Percent new IX = 0.0539%

Result key: 14
 Scenario 2 Affected station 2
 Before Analysis

Results for: 30A AL BIRMINGHAM DTVPLN DTVP1093 PLN
 HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6264	753.5
lost to ATV IX only	6264	753.5
lost to all IX	6264	753.5

Potential Interfering Stations Included in above Scenario 2

Figure 1

```

29A AL SELMA          BPCDT      20080617ADT  CP
30A TN KNOXVILLE     DTVPLN      DTVP1116    PLN

After Analysis

Results for: 30A AL BIRMINGHAM          DTVPLN      DTVP1093    PLN
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                      0          0.0
lost to additional IX by ATV          7173        801.9
lost to ATV IX only                   7173        801.9
lost to all IX                       7173        801.9

Potential Interfering Stations Included in above Scenario      2

29A AL SELMA          BPCDT      20080617ADT  CP
30A TN KNOXVILLE     DTVPLN      DTVP1116    PLN
30A MS JACKSON         USERRECORD01      APP

Percent new IX =      0.0539%

Result key:      15
Scenario      3  Affected station      2
Before Analysis

Results for: 30A AL BIRMINGHAM          DTVPLN      DTVP1093    PLN
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                      0          0.0
lost to additional IX by ATV          9816        773.7
lost to ATV IX only                   9816        773.7
lost to all IX                       9816        773.7

Potential Interfering Stations Included in above Scenario      3

29A AL SELMA          BPCDT      20080617ADT  CP
30A TN KNOXVILLE     BPCDT      20080618AAM  CP

After Analysis

Results for: 30A AL BIRMINGHAM          DTVPLN      DTVP1093    PLN
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                      0          0.0
lost to additional IX by ATV          10725       822.0
lost to ATV IX only                   10725       822.0
lost to all IX                       10725       822.0

Potential Interfering Stations Included in above Scenario      3

29A AL SELMA          BPCDT      20080617ADT  CP
30A TN KNOXVILLE     BPCDT      20080618AAM  CP
30A MS JACKSON         USERRECORD01      APP

Percent new IX =      0.0540%

Result key:      16
Scenario      4  Affected station      2
Before Analysis

Results for: 30A AL BIRMINGHAM          DTVPLN      DTVP1093    PLN
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)

```

Figure 1

within Noise Limited Contour	1724395	32961.0	
not affected by terrain losses	1693417	31764.3	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6144	753.5	
lost to ATV IX only	6144	753.5	
lost to all IX	6144	753.5	
Potential Interfering Stations Included in above Scenario			4
29A AL SELMA	DTVPLN	DTVP1059	PLN
30A TN KNOXVILLE	BLCDT	20040420AAF	LIC
After Analysis			
Results for: 30A AL BIRMINGHAM	DTVPLN	DTVP1093	PLN
HAAT 426.0 m, ATV ERP 1000.0 kW			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1724395	32961.0	
not affected by terrain losses	1693417	31764.3	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	7053	801.9	
lost to ATV IX only	7053	801.9	
lost to all IX	7053	801.9	
Potential Interfering Stations Included in above Scenario			4
29A AL SELMA	DTVPLN	DTVP1059	PLN
30A TN KNOXVILLE	BLCDT	20040420AAF	LIC
30A MS JACKSON	USERRECORD01		APP
Percent new IX = 0.0539%			
Result key:	17		
Scenario	5	Affected station	2
Before Analysis			
Results for: 30A AL BIRMINGHAM	DTVPLN	DTVP1093	PLN
HAAT 426.0 m, ATV ERP 1000.0 kW			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1724395	32961.0	
not affected by terrain losses	1693417	31764.3	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	6144	753.5	
lost to ATV IX only	6144	753.5	
lost to all IX	6144	753.5	
Potential Interfering Stations Included in above Scenario			5
29A AL SELMA	DTVPLN	DTVP1059	PLN
30A TN KNOXVILLE	DTVPLN	DTVP1116	PLN
After Analysis			
Results for: 30A AL BIRMINGHAM	DTVPLN	DTVP1093	PLN
HAAT 426.0 m, ATV ERP 1000.0 kW			
	POPULATION	AREA (sq km)	
within Noise Limited Contour	1724395	32961.0	
not affected by terrain losses	1693417	31764.3	
lost to NTSC IX	0	0.0	
lost to additional IX by ATV	7053	801.9	
lost to ATV IX only	7053	801.9	
lost to all IX	7053	801.9	
Potential Interfering Stations Included in above Scenario			5
29A AL SELMA	DTVPLN	DTVP1059	PLN
30A TN KNOXVILLE	DTVPLN	DTVP1116	PLN
30A MS JACKSON	USERRECORD01		APP
Percent new IX = 0.0539%			

Figure 1

```

Result key:      18
Scenario        6 Affected station      2
Before Analysis

Results for: 30A AL BIRMINGHAM      DTVPLN      DTVPL093      PLN
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                      0          0.0
lost to additional IX by ATV          9696        773.7
lost to ATV IX only                   9696        773.7
lost to all IX                       9696        773.7

Potential Interfering Stations Included in above Scenario      6

29A AL SELMA      DTVPLN      DTVPL059      PLN
30A TN KNOXVILLE      BPCDT      20080618AAM      CP

After Analysis

Results for: 30A AL BIRMINGHAM      DTVPLN      DTVPL093      PLN
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                      0          0.0
lost to additional IX by ATV          10605        822.0
lost to ATV IX only                   10605        822.0
lost to all IX                       10605        822.0

Potential Interfering Stations Included in above Scenario      6

29A AL SELMA      DTVPLN      DTVPL059      PLN
30A TN KNOXVILLE      BPCDT      20080618AAM      CP
30A MS JACKSON      USERRECORD01      APP

Percent new IX =      0.0540%

Result key:      19
Scenario        7 Affected station      2
Before Analysis

Results for: 30A AL BIRMINGHAM      DTVPLN      DTVPL093      PLN
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                      0          0.0
lost to additional IX by ATV          6264        753.5
lost to ATV IX only                   6264        753.5
lost to all IX                       6264        753.5

Potential Interfering Stations Included in above Scenario      7

29A AL SELMA      BPCDT      20080617ADT      CP
30A TN KNOXVILLE      BPCDT      20040420AAF      LIC

After Analysis

Results for: 30A AL BIRMINGHAM      DTVPLN      DTVPL093      PLN
HAAT  426.0 m, ATV ERP 1000.0 kW
      POPULATION      AREA (sq km)
within Noise Limited Contour      1724395      32961.0
not affected by terrain losses      1693417      31764.3
lost to NTSC IX                      0          0.0
lost to additional IX by ATV          7173        801.9
lost to ATV IX only                   7173        801.9
lost to all IX                       7173        801.9

```

Figure 1

Potential Interfering Stations Included in above Scenario 7

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	BLCDT	20040420AAF	LIC
30A MS JACKSON	USERRECORD01		APP

Percent new IX = 0.0539%

Result key: 20
 Scenario 8 Affected station 2
 Before Analysis

Results for: 30A AL BIRMINGHAM DTVPLN DTVP1093 PLN
 HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	6264	753.5
lost to ATV IX only	6264	753.5
lost to all IX	6264	753.5

Potential Interfering Stations Included in above Scenario 8

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	DTVPLN	DTVP1116	PLN

After Analysis

Results for: 30A AL BIRMINGHAM DTVPLN DTVP1093 PLN
 HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	7173	801.9
lost to ATV IX only	7173	801.9
lost to all IX	7173	801.9

Potential Interfering Stations Included in above Scenario 8

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	DTVPLN	DTVP1116	PLN
30A MS JACKSON	USERRECORD01		APP

Percent new IX = 0.0539%

Result key: 21
 Scenario 9 Affected station 2
 Before Analysis

Results for: 30A AL BIRMINGHAM DTVPLN DTVP1093 PLN
 HAAT 426.0 m, ATV ERP 1000.0 kW

	POPULATION	AREA (sq km)
within Noise Limited Contour	1724395	32961.0
not affected by terrain losses	1693417	31764.3
lost to NTSC IX	0	0.0
lost to additional IX by ATV	9816	773.7
lost to ATV IX only	9816	773.7
lost to all IX	9816	773.7

Potential Interfering Stations Included in above Scenario 9

29A AL SELMA	BPCDT	20080617ADT	CP
30A TN KNOXVILLE	BPCDT	20080618AAM	CP

After Analysis

Results for: 30A AL BIRMINGHAM DTVPLN DTVP1093 PLN

Figure 1

```

HAAT 426.0 m, ATV ERP 1000.0 kW
      POPULATION  AREA (sq km)
within Noise Limited Contour  1724395  32961.0
not affected by terrain losses  1693417  31764.3
lost to NTSC IX                0        0.0
lost to additional IX by ATV    10725    822.0
lost to ATV IX only            10725    822.0
lost to all IX                 10725    822.0

Potential Interfering Stations Included in above Scenario 9

29A AL SELMA      BPCDT  20080617ADT  CP
30A TN KNOXVILLE BPCDT  20080618AAM  CP
30A MS JACKSON    USERRECORD01  APP

Percent new IX = 0.0540%

Result key: 22
Scenario 10 Affected station 2
Before Analysis

Results for: 30A AL BIRMINGHAM      DTVPLN  DTVP1093  PLN
HAAT 426.0 m, ATV ERP 1000.0 kW
      POPULATION  AREA (sq km)
within Noise Limited Contour  1724395  32961.0
not affected by terrain losses  1693417  31764.3
lost to NTSC IX                0        0.0
lost to additional IX by ATV    6144    753.5
lost to ATV IX only            6144    753.5
lost to all IX                 6144    753.5

Potential Interfering Stations Included in above Scenario 10

29A AL SELMA      DTVPLN  DTVP1059  PLN
30A TN KNOXVILLE BLCDT  20040420AAF  LIC

After Analysis

Results for: 30A AL BIRMINGHAM      DTVPLN  DTVP1093  PLN
HAAT 426.0 m, ATV ERP 1000.0 kW
      POPULATION  AREA (sq km)
within Noise Limited Contour  1724395  32961.0
not affected by terrain losses  1693417  31764.3
lost to NTSC IX                0        0.0
lost to additional IX by ATV    7053    801.9
lost to ATV IX only            7053    801.9
lost to all IX                 7053    801.9

Potential Interfering Stations Included in above Scenario 10

29A AL SELMA      DTVPLN  DTVP1059  PLN
30A TN KNOXVILLE BLCDT  20040420AAF  LIC
30A MS JACKSON    USERRECORD01  APP

Percent new IX = 0.0539%

Result key: 23
Scenario 11 Affected station 2
Before Analysis

Results for: 30A AL BIRMINGHAM      DTVPLN  DTVP1093  PLN
HAAT 426.0 m, ATV ERP 1000.0 kW
      POPULATION  AREA (sq km)
within Noise Limited Contour  1724395  32961.0
not affected by terrain losses  1693417  31764.3
lost to NTSC IX                0        0.0
lost to additional IX by ATV    6144    753.5
lost to ATV IX only            6144    753.5
lost to all IX                 6144    753.5

```

Figure 1

```

Potential Interfering Stations Included in above Scenario    11

29A AL SELMA          DTVPLN    DTVP1059    PLN
30A TN KNOXVILLE     DTVPLN    DTVP1116    PLN

After Analysis

Results for: 30A AL BIRMINGHAM          DTVPLN    DTVP1093    PLN
  HAAT  426.0 m, ATV ERP 1000.0 kW
                POPULATION    AREA (sq km)
within Noise Limited Contour    1724395    32961.0
not affected by terrain losses    1693417    31764.3
lost to NTSC IX                  0          0.0
lost to additional IX by ATV      7053        801.9
lost to ATV IX only              7053        801.9
lost to all IX                   7053        801.9

Potential Interfering Stations Included in above Scenario    11

29A AL SELMA          DTVPLN    DTVP1059    PLN
30A TN KNOXVILLE     DTVPLN    DTVP1116    PLN
30A MS JACKSON         USERRECORD01    APP

Percent new IX =      0.0539%

Result key:          24
Scenario             12  Affected station          2
Before Analysis

Results for: 30A AL BIRMINGHAM          DTVPLN    DTVP1093    PLN
  HAAT  426.0 m, ATV ERP 1000.0 kW
                POPULATION    AREA (sq km)
within Noise Limited Contour    1724395    32961.0
not affected by terrain losses    1693417    31764.3
lost to NTSC IX                  0          0.0
lost to additional IX by ATV      9696        773.7
lost to ATV IX only              9696        773.7
lost to all IX                   9696        773.7

Potential Interfering Stations Included in above Scenario    12

29A AL SELMA          DTVPLN    DTVP1059    PLN
30A TN KNOXVILLE     BPCDT      20080618AAM    CP

After Analysis

Results for: 30A AL BIRMINGHAM          DTVPLN    DTVP1093    PLN
  HAAT  426.0 m, ATV ERP 1000.0 kW
                POPULATION    AREA (sq km)
within Noise Limited Contour    1724395    32961.0
not affected by terrain losses    1693417    31764.3
lost to NTSC IX                  0          0.0
lost to additional IX by ATV     10605        822.0
lost to ATV IX only             10605        822.0
lost to all IX                  10605        822.0

Potential Interfering Stations Included in above Scenario    12

29A AL SELMA          DTVPLN    DTVP1059    PLN
30A TN KNOXVILLE     BPCDT      20080618AAM    CP
30A MS JACKSON         USERRECORD01    APP

Percent new IX =      0.0540%

Worst case new IX    0.0540% Scenario          3

#####

Analysis of Interference to Affected Station    3

```

Figure 1

```

Analysis of current record
Channel      Call      City/State      Application Ref. No.
  30      KLRT-TV      LITTLE ROCK AR      BLCDT      -20020507AAK

Stations Potentially Affecting This Station

Chan  Call      City/State      Dist(km) Status  Application Ref. No.
  31  KWBM      HARRISON AR      218.0  CP      BPCDT      -20080331AEU
  31  KWBM      HARRISON AR      218.0  PLN      DTVPLN      -DTVP1125
  30  WLBT      JACKSON MS      347.5  APP      USERRECORD-01
Proposal causes no interference

#####

Analysis of Interference to Affected Station  4

Analysis of current record
Channel      Call      City/State      Application Ref. No.
  30      KLRT-TV      LITTLE ROCK AR      DTVPLN      -DTVP1094

Stations Potentially Affecting This Station

Chan  Call      City/State      Dist(km) Status  Application Ref. No.
  31  KWBM      HARRISON AR      218.0  CP      BPCDT      -20080331AEU
  31  KWBM      HARRISON AR      218.0  PLN      DTVPLN      -DTVP1125
  30  WLBT      JACKSON MS      347.5  APP      USERRECORD-01
Proposal causes no interference

#####

Analysis of Interference to Affected Station  5

Analysis of current record
Channel      Call      City/State      Application Ref. No.
  30      WLFT-CA      BATON ROUGE LA      BLTTA      -20070813AFZ

Stations Potentially Affecting This Station

Chan  Call      City/State      Dist(km) Status  Application Ref. No.
  23  KLPB-TV      LAFAYETTE LA      118.0  LIC      BLEDT      -20031117ACC
  23  KLPB-TV      LAFAYETTE LA      118.0  PLN      DTVPLN      -DTVP0842
  26  WGNO      NEW ORLEANS LA      115.0  CP MOD  BMFCDT      -20080620ACU
  26  WGNO      NEW ORLEANS LA      115.8  PLN      DTVPLN      -DTVP0952
  28  KATC      LAFAYETTE LA      118.7  PLN      DTVPLN      -DTVP1033
  28  KATC      LAFAYETTE LA      118.7  CP MOD  BMPCDT      -20060906AAW
  29  WVUE-DR      NEW ORLEANS LA      116.3  APP      BPRM      -20090528AFA
  29  WVUE-DT      NEW ORLEANS LA      116.3  LIC      BLCDT      -20050614AAH
  30  KFOL-CA      HOUMA LA      88.6  LIC      BLTTL      -19950329IC
  30  KFOL-CA      HOUMA LA      92.7  APP      BMPDTA      -20090526AEG
  30  KFOL-CA      HOUMA LA      92.6  APP      BPTTA      -20080411ABC
  30  KVHP      LAKE CHARLES LA      242.1  PLN      DTVPLN      -DTVP1104
  30  KVHP      LAKE CHARLES LA      242.1  CP      BPCDT      -19990714LD
  30  W30CC      NATCHEZ MS      122.0  CP      BPTTL      -20070706ACK
  31  WLAE-TV      NEW ORLEANS LA      114.7  CP MOD  BMPCDT      -20080312ACH
  31  WLAE-TV      NEW ORLEANS LA      114.7  PLN      DTVPLN      -DTVP1142
  34  WVLA      BATON ROUGE LA      22.2  PLN      DTVPLN      -DTVP1255
  34  WVLA-TV      BATON ROUGE LA      22.2  LIC      BLCDT      -20051221AOO
  45  WGMB      BATON ROUGE LA      22.1  PLN      DTVPLN      -DTVP1614
  45  WGMB-TV      BATON ROUGE LA      22.1  LIC      BLCDT      -20060103ACW
  30  WLBT      JACKSON MS      213.5  APP      USERRECORD-01
Proposal causes no interference

#####

```


Figure 1

Analysis of Interference to Affected Station 6

Analysis of current record

Channel	Call	City/State	Application Ref. No.
30	WLFT-CA	BATON ROUGE LA	BDFCDTA -20080804ACM

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
29	WVUE-DR	NEW ORLEANS LA	116.3	APP	BPPM -20090528AFA
29	WVUE-DT	NEW ORLEANS LA	116.3	LIC	BLCOT -20050614AAH
30	KVHF	LAKE CHARLES LA	242.1	PLN	DTVPLN -DTVPL1104
30	KVHP	LAKE CHARLES LA	242.1	CP	BPCDT -19990714LD
31	KLAX-TV	ALEXANDRIA LA	194.0	CP	BPCDT -20080617ADM
31	KLAX-TV	ALEXANDRIA LA	194.0	PLN	DTVPLN -DTVPL1141
31	WLAE-TV	NEW ORLEANS LA	114.7	CP MOD	BMPEDT -20080312ACH
31	WLAE-TV	NEW ORLEANS LA	114.7	PLN	DTVPLN -DTVPL1142
30	WLBT	JACKSON MS	213.5	APP	USERRECORD-01

Proposal causes no interference

#####

Analysis of Interference to Affected Station 7

Analysis of current record

Channel	Call	City/State	Application Ref. No.
30	KFOL-CA	HOUMA LA	BMPDTA -20080804AEE

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
29	WVUE-DR	NEW ORLEANS LA	86.4	APP	BPRM -20090528AFA
29	WVUE-DT	NEW ORLEANS LA	86.4	LIC	BLCOT -20050614AAH
30	KVHF	LAKE CHARLES LA	283.7	PLN	DTVPLN -DTVPL1104
30	KVHP	LAKE CHARLES LA	283.7	CP	BPCDT -19990714LD
31	WLAE-TV	NEW ORLEANS LA	87.7	CP MOD	BMPEDT -20080312ACH
31	WLAE-TV	NEW ORLEANS LA	87.7	PLN	DTVPLN -DTVPL1142
30	WLBT	JACKSON MS	293.4	APP	USERRECORD-01

Proposal causes no interference

#####

Analysis of Interference to Affected Station 8

Analysis of current record

Channel	Call	City/State	Application Ref. No.
30	KFOL-CA	HOUMA LA	BLTTL -19950329IC

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
26	WGNO	NEW ORLEANS LA	80.8	CP MOD	BMPEDT -20080620ACU
26	WGNO	NEW ORLEANS LA	78.4	PLN	DTVPLN -DTVPL0952
29	WVUE-DR	NEW ORLEANS LA	79.4	APP	BPRM -20090528AFA
29	WVUE-DT	NEW ORLEANS LA	79.4	LIC	BLCOT -20050614AAH
30	WLFT-CA	BATON ROUGE LA	88.6	LIC	BLTTA -20070813AF2
30	KVHF	LAKE CHARLES LA	286.7	PLN	DTVPLN -DTVPL1104
30	KVHP	LAKE CHARLES LA	286.7	CP	BPCDT -19990714LD
31	WLAE-TV	NEW ORLEANS LA	80.5	CP MOD	BMPEDT -20080312ACH
31	WLAE-TV	NEW ORLEANS LA	80.5	PLN	DTVPLN -DTVPL1142
34	WVLA	BATON ROUGE LA	94.0	PLN	DTVPLN -DTVPL1255
34	WVLA-TV	BATON ROUGE LA	94.0	LIC	BLCOT -20051221AOO
45	WGMB	BATON ROUGE LA	94.1	PLN	DTVPLN -DTVPL1614
45	WGMB-TV	BATON ROUGE LA	94.1	LIC	BLCOT -20060103ACW